








Z-7215 90 Deg Glass to Wall






● Wall Mount Full Back Plate  
with Scallop





Patent No.:200820128170.8  
Patent No.:201220489250.2






Z-7216 90 Deg Glass to Wall






● Wall Mount Offset Back Plate  
with Scallop  
Allen Adjustment Screws






Z-7220 180 Deg Glass to Glass






Patent No.:200820128170.8  
Patent No.:201220489250.2









Z-7230 135 Deg Glass to Glass





Z-7240 90 Deg Glass to Glass






Patent No.:200820128170.8  
Patent No.:201220489250.2

\* All Finishes Available

Maximum Capacities	5/16" (8mm) 3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm


GLASS THICKNESS



5/16" 3/8" 1/2"  
(8mm) (10mm) (12mm)


7400 Series  
Flat Design Zero Position Adjustable Hinges

- Flat Surface Patent Design
- Adjustable to any Angle Up to 90 Degrees After Installing the Door
- 3 Years and Min 150,000 Cycles Life Time Warranty
- High Quality Forged Solid Brass Material
- Designed for 5/16"(8mm) to 1/2"(12mm) Glass




Most models are stocked in the finishes shown here, other are available on special order


Z-7409F 90 Deg Glass to Wall




- Wall Mount Offset Back Plate with Cover




Konb Series Must Show




Z-7421 180 Deg Glass to Glass




Allen Adjustment Screws



Z-7431 135 Deg Glass to Glass




Z-7441 90 Deg Glass to Glass



Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7


\* All Finishes Available

Maximum Capacities	5/16" (8mm) 3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm



7500 Series  
Zero Position Adjustable Hinges

- Flat Surface Patent Design
- Adjustable to any Angle Up to 90 Degrees After Installing the Door
- 3 Years and Min 150,000 Cycles Life Time Warranty
- High Quality Forged Solid Brass Material
- Designed for 5/16"(8mm) to 1/2"(12mm) Glass







Most models are stocked in the finishes shown here, other are available on special order

Z-7515 90 Deg Glass to Wall



Allen Adjustment Screws





- Wall Mount Full Back Plate with Scallop



Z-7516 90 Deg Glass to Wall




- Wall Mount Offset Back Plate with Scallop



0 Deg Position Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7

\* All Finishes Available




Maximum Capacities	5/16" (8mm) 3/8" (10mm) Glass	1/2" (12mm) Glass
Using Two Hinges	Weight: 80 lbs/36kg Door Width: 28" / 711mm	Weight: 80 lbs/36kg Door Width: 28" / 711mm
Using Three Hinges	Weight: 120 lbs/54kg Door Width: 32" / 813mm	Weight: 120 lbs/54kg Door Width: 32" / 813mm






Z-7520 180 Deg Glass to Glass



Allen Adjustment Screws






Z-7530 135 Deg Glass to Glass



Z-7540 90 Deg Glass to Glass



Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7







7600 Series **Flat Design**  
**Heavy Duty Zero Position Adjustable Hinges**

- Flat Surface Patent Design
- Adjustable to any Angle Up to 90 Degrees After Installing the Door
- 3 Years and Min 150,000 Cycles Life Time Warranty
- High Quality Forged Solid Brass Material
- Designed for 5/16"(8mm) to 1/2"(12mm) Glass




Most models are stocked in the finishes shown here, other are available on special order



**Z-7601 90 Deg Glass to Wall**





**Z-7602 90 Deg Glass to Wall**




**Z-7609F 90 Deg Glass to Wall**



**Z-7621 180 Deg Glass to Glass**




**Z-7631 135 Deg Glass to Glass**



**Z-7641 90 Deg Glass to Glass**




Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7







7800 Series **Flat Design**  
**Zero Position Adjustable Hinges**

- Flat Surface Patent Design
- Adjustable to any Angle Up to 90 Degrees After Installing the Door
- 3 Years and Min 150,000 Cycles Life time Warranty
- High Quality Forged Solid Brass Material
- Designed for 5/16"(8mm) to 1/2"(12mm) Glass




Most models are stocked in the finishes shown here, other are available on special order


**Z-7809F 90 Deg Glass to Wall**





**Z-7820 180 Deg Glass to Glass**



**Z-7830 135 Deg Glass to Glass**



**Z-7840 90 Deg Glass to Glass**




Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7

\* All Finishes Available

Maximum Capacities	5/16" (8mm) 3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm



7900 Series Flat Design  
Heavy Duty Zero Adjustable Position Hinges

- Flat Surface Patent Design
- Adjustable to any Angle Up to 90 Degrees After Installing the Door
- 3 Years and Min 150,000 Cycles Life time Warranty
- High Quality Forged Solid Brass Material
- Designed for 5/16"(8mm) to 1/2"(12mm) Glass




Most models are stocked in the finishes shown here, other are available on special order


Z-7909F 90 Deg Glass to Wall





Z-7920 180 Deg Glass to Glass



Z-7930 135 Deg Glass to Glass



Z-7940 90 Deg Glass to Glass



Patent No.:200820128170.8  
Patent No.:201220489250.2  
Patent No.:201230290553.7


\* Mouse Ears Movable; All Finishes Available

Capacities	5/16" (8mm) 3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm
Using Three Hinges	140 lbs/63kg	36"/914mm	140 lbs/63kg	36"/914mm

3000 Series  
Shower Hinges


Z-3011

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Full Back Plate



Z-3012

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Full Back "H" Plate




\* All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm


Z-3013

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Offset Back Plate




Z-3020

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass




Z-3030

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass



Z-3040

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90 Deg. Glass to Glass



\* All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm






3100 Series  
Shower Hinges


Z-3111

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Full Back Plate




Z-3112

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Short Back Plate




Z-3113

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Offset Back Plate




Z-3130

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass




Z-3120

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass



Z-3140

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90 Deg. Glass to Glass




\* All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm

9000 Series  
Heavy Duty Shower Hinges


Z-9011

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 15 Degrees
- Wall Mount Full Back Plate




Z-9012

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 15 Degrees
- Wall Mount Full Back "H" Plate




Z-9013

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 15 Degrees
- Wall Mount Offset Back Plate



Z-9020

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass




\* Mouse Ears Movable; All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36" / 914mm	110 lbs/50kg	36" / 914mm
Using Three Hinges	140 lbs/63kg	36" / 914mm	140 lbs/63kg	36" / 914mm


Z-9030

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass



Z-9040


- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90 Deg. Glass to Glass



9100 Series  
Heavy Duty Shower Hinges


Z-9111

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 15 Degrees
- Wall Mount Full Back Plate




Z-9113

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 15 Degrees
- Wall Mount Offset Back Plate




Z-9120

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass




Z-9130

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass



Z-9140

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90 Deg. Glass to Glass



\* Mouse Ears Movable;All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm
Using Three Hinges	140 lbs/63kg	36"/914mm	140 lbs/63kg	36"/914mm

\* Mouse Ears Movable;All Finishes Available


Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm
Using Three Hinges	140 lbs/63kg	36"/914mm	140 lbs/63kg	36"/914mm



9400 Series  
Adjustable Shower Hinges

**Z-9411**


- Dual Precision Wound Stainless Steel Return Springs
- Solid Forged Brass Construction
- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back Plate



Allen Adjustment Screws


**Z-9413**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Offset Back Plate



**Z-9415**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back Plate with Scallop



**Z-9420**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 90 Deg. Glass to Glass
- 180 Deg. Glass to Glass



**Z-9430**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 135 Deg. Glass to Glass
- 135 Deg. Glass to Glass



**Z-9440**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 90 Deg. Glass to Glass
- 90 Deg. Glass to Glass



Patent No.:200820128170.8


\* All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm

9500 Series  
Adjustable Shower Hinges

**Z-9511**


- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back Plate



Allen Adjustment Screws


**Z-9512**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back "H" Plate



**Z-9515**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back Plate with Scallop



**Z-9520**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 180 Deg. Glass to Glass
- 180 Deg. Glass to Glass




**Z-9530**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 135 Deg. Glass to Glass
- 135 Deg. Glass to Glass



**Z-9540**

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 90 Deg. Glass to Glass
- 90 Deg. Glass to Glass



Patent No.:200820128170.8

\* All Finishes Available


Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	80 lbs/36kg	28" / 711mm	80 lbs/36kg	28" / 711mm
Using Three Hinges	120 lbs/54kg	32" / 813mm	120 lbs/54kg	32" / 813mm



9600 Series  
Heavy Duty Adjustable Shower Hinges


Z-9611

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back Plate




Z-9613

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Offset Back Plate




Z-9620

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 180 Deg. Glass to Glass
- 180 Deg. Glass to Glass




Z-9630

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 135 Deg. Glass to Glass
- 135 Deg. Glass to Glass



Z-9640

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Spring
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 90 Deg. Glass to Glass
- 90 Deg. Glass to Glass



Patent No.:200820128170.8

\* Mouse Ears Movable;All Finishes Available


Maxilum	3/8" (10mm) Glass		1/2" (12mm) Glass	
Capacities	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm
Using Three Hinges	140 lbs/63kg	36"/914mm	140 lbs/63kg	36"/914mm



9700 Series  
Heavy Duty Adjustable Shower Hinges


Z-9712

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Full Back "H" Plate




Z-9713

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable to any angel up to 90Deg. Without having to take door down
- Wall Mount Offset Back Plate



Z-9720


- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 180 Deg. Glass to Glass
- 180 Deg. Glass to Glass



Allen Adjustment Screws


Z-9730

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 135 Deg. Glass to Glass
- 135 Deg. Glass to Glass



Z-9740

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Adjustable 90 Deg. Glass to Glass
- 90 Deg. Glass to Glass



Patent No.:200820128170.8


\* Mouse Ears Movable;All Finishes Available

Maxilum	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm
Using Three Hinges	140 lbs/63kg	36"/914mm	140 lbs/63kg	36"/914mm

8000 Series Junior Shower Hinges


Z-8011

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Full Back Plate




Z-8020

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass




Z-8013

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included)abd Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Offset Back Plate



Z-8030

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass




\* All Finishes Available

Maxilum	1/4" (6mm) Glass		5/16" (8mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	62 lbs/28kg	28"/711mm	62 lbs/28kg	28"/711mm
Using Three Hinges	92 lbs/42kg	32"/813mm	92 lbs/42kg	32"/813mm

8100 Series  
Junior Shower Hinges


Z-8111

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Full Back Plate




Z-8120

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180 Deg. Glass to Glass




Z-8140

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90Deg. Glass to Glass




Z-8113

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees
- Wall Mount Offset Back Plate



Z-8130

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Spring
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135 Deg. Glass to Glass



\* All Finishes Available


Maximum Capacities	1/4" (6mm) Glass		5/16" (8mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	62 lbs/28kg	28" / 711mm	62 lbs/28kg	28" / 711mm
Using Three Hinges	92 lbs/42kg	32" / 813mm	92 lbs/42kg	32" / 813mm

3800 Series  
Pivot Hinges




- Designed for 5/16" (8mm) and 3/8" (10mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees

Z-3820




Top or Bottom Mount

Z-3822




Glass to Glass

Z-3830




Top or Bottom Mount

Z-3832



Glass to Glass

Z-3833



Top Mount (Adjustable Bracket for Header)

All pivot hinges available preset at 90Deg or 85Deg. If 85Deg, advise handing of door hinges on left or hinges on right when facing shower.

\* All Finishes Available

Maximum Capacities	5/16" (8mm) Glass		3/8" (10mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	100 lbs/45kg	31" / 787mm	100 lbs/45kg	31" / 787mm




380000 Series  
Heavy Duty Pivot Hinges

Z-380038-40




- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees



Top or Botton Mount



Z-380038-40-01



\* All Finishes Available


Maxilum	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm

380028 Series  
Heavy Duty Pivot Hinges

Z-380028-40



- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees



Top or Botton Mount



\* All Finishes Available


Maxilum	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36"/914mm	110 lbs/50kg	36"/914mm

All pivot hinges available preset at 90Deg or 85Deg. If 85Deg,advise handing of door hinges on left or hinges on right when facing shower.

3800 Series  
Super Heavy Duty Pivot Hinges


Z-3838

- Designed for 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees



Top or Bottom Mount

Z-3838-02



All pivot hinges available preset at 90Deg or 85Deg. If 85Deg, advise handing of door hinges on left or hinges on right when facing shower.

\* All Finishes Available


Maximum Capacities	1/2" (12mm) Glass	
	Weight	Door Width
Using Two Hinges	146 lbs/66kg	36" / 914mm

3800 Series  
Pivot Adjustable Hinges

Z-3880

Shower Bottom Pivot Hinge


- Designed for 5/16" (8mm) and 3/8" (10mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees



Z-3883

Shower Top Pivot Hinge

- \* secures shower enclosure NOT Going to Ceiling
- \* Allows Horizontal (side-to-side)
- Adjustment of Hinge After Installation
- \* No Hole Drilling Required Through Header
- For Adaptor, If Using Prima Hing Model Z-3883




Header Mounting System



38000000 Series  
Heavy Duty Adjustable Pivot Hinges


- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Dual Precision Wound Stainless Steel Return Springs
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Self-Closing from 25 Degrees

Z-AD380038-40



Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass


Z-AD380028-40



Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass


38000000 Series  
Heavy Duty Pivot Adjustable Hinges

Z-AD381138-40



Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass

Z-AD381238-40



Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass

\* All Finishes Available


Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36" / 914mm	110 lbs/50kg	36" / 914mm

Z-AD381338-40L/R




Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass

Z-AD381128-40



Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass

Z-AD381228-40




Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass

\* All Finishes Available

Maximum Capacities	3/8" (10mm) Glass		1/2" (12mm) Glass	
	Weight	Door Width	Weight	Door Width
Using Two Hinges	110 lbs/50kg	36" / 914mm	110 lbs/50kg	36" / 914mm



Z-AD381328-40L/R




Designed for 3/8" (10mm) and 1/2" (12mm) Tempered Safety Glass



Notchless Pivot Hinges

Z-3850

- Designed for 5/16" (8mm) to 1/2" (12mm) Tempered Safety Glass
- Designed for Glass to Floor, Glass to Wall and Glass to Ceiling
- No need Glass Cut.
- Alan Style Screws Adjustment for Different Glass Thickness.



Choose From Four Popular Piovt Mounting Options:

Z-3850-01 Ceiling Kit



Z-3850-02 Wall Blaock Mount Kit



Z-3850-03 Floor Kit



\* All Finishes Available

8200 Series  
Adjustable Shower Hinges


Z-8211

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Both Side Back Plate



Z-8213

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate



Patent No.:200720127232.9

\* All Finishes Available

8300 Series Adjustable European Style Shower Hinges

**Z-8311**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Both Side Back Plate





NEW

Allen Adjustment Screws

**Z-8313**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate



NEW

**Z-8313-2**


- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate



NEW

**Z-8320**



- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180Deg.Glass to Glass



NEW

**Z-8330**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 135Deg.Glass to Glass



NEW

**Z-8340**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 90Deg.Glass to Glass





NEW

Patent No.:200720127232.9  
\* All Finishes Available

8400 Series Adjustable European Style Shower Hinges

**Z-8411**



- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Both Side Back Plate



Allen Adjustment Screws



**Z-8413**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate





**Z-8413-2**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate



**Z-8420**



- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180Deg.Glass to Glass



Patent No.:200720127232.9 \* All Finishes Available



**Z-8430**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 135Deg.Glass to Glass





**Z-8440**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 90Deg.Glass to Glass



**Z-8450**

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180Deg.Glass to Glass






8500 Series  
Adjustable Shower Hinges


Z-8511

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Both Side Back Plate




Z-8513

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate




Z-8513-2

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount One Side Back Plate




Z-8520

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180Deg.Glass to Glass




Z-8530

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 135Deg.Glass to Glass




Z-8540

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 90Deg.Glass to Glass



Z-8550


- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180 Deg. Glass to Glass



8600 Series  
Adjustable Shower Hinges


Z-8611

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Offset Back Plate




Z-8613

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- Wall Mount Offset Back Plate




Z-8620

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 180Deg.Glass to Glass




Z-8630

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 135Deg.Glass to Glass



Z-8640

- Designed for 1/4"(6mm) to 3/8" (10mm) Tempered Safety Glass
- Solid Forged Brass Construction
- The Angel of the Hinge can be Adjusted
- 90Deg.Glass to Glass



Patent No.:200720127232.9

\* All Finishes Available


Patent No.:200720127232.9

\* All Finishes Available

8700 Series  
Adjustable Shower Hinges


Z-8713

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Mount Offset Back Plate




Z-8730

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 135Deg. Glass to Glass




Z-8719

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Mount Offset Back Plate **With Cover**



Z-8720


- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 180Deg. Glass to Glass



8900 Series  
Shower Hinges


Z-8913

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- Mount Offset Back Plate



Z-8940

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- Match Stainless Steel Alan Style Clamp Screws (Alan Wrench Included) and Philips Screws
- 90Deg. Glass to Glass






3900 Series Shower Hinges


Z-3913

- Designed for 1/4" (6mm) Glass
- Solid Forged Brass Construction
- 180 Deg. Glass to Glass



Z-3914


- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 180 Deg. Glass to Glass



3900 Series  
Raise Up-Down Adjustable Shower Hinges


Z-3951L/Z-3951R

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 180 Deg. Glass to Glass
- Right and Left Available



Z-3951-02L/Z-3951-02R


- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 180 Deg. Glass to Glass
- Right and Left Available



3900 Series Raise Up-Down Shower Hinges

Z-3962L/Z-3962R


- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 180 Deg. Glass to Glass
- Right and Left Available



Glass Clamps


Z-3914-01

- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 90 Deg. Glass to Wall



Z-SI-4416A


- Designed for 1/4" (6mm) and 5/16" (8mm) Glass
- Solid Forged Brass Construction
- 90 Deg. Glass to Wall



3000.00 Series  
Glass Clamps


Z-3000.13

- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Size:90mm Wide × 55mm High
- 90Deg Glass to Wall



Z-3100.13


- Designed for 3/8" (10mm) and 1/2" (12mm) Glass
- Solid Forged Brass Construction
- Size:90mm Wide × 54mm High
- 90Deg Glass to Wall



4400 Series  
Glass Clamps


Z-4401

- Designed for 1/4" (6mm) to 3/8" (10mm) Thick Glass
- Brass Construction
- Size:1-3/4" (44mm) Wide × 1-3/4" (44mm) High
- Wall Mount 1 Hole



Z-4415

- Designed for 1/4" (6mm) to 3/8" (10mm) Thick Glass
- Brass Construction
- Size:1-3/4" (44mm) Wide × 1-3/4" (44mm) High
- 90 Deg. Glass to Wall






4600 Series Glass Clamps


Z-4601

- Designed for 5/16" (8mm) to 1/2" (12mm) Thick Glass
- Forged Solid Brass Construction
- Size: 2" (51mm) Wide x 2" (51mm) High
- Wall Mount 1 Hole




Z-4604 Transom Clips

- Designed for 5/16" (8mm) to 1/2" (12mm) Thick Glass
- Forged Solid Brass Construction
- Size: 2" (51mm) Wide x 2" (51mm) High
- Movable Transom Application



Z-4620


- Designed for 5/16" (8mm) to 1/2" (12mm) Thick Glass
- Forged Solid Brass Construction
- Size: 4" (103mm) Wide x 2" (51mm) High (each place)
- 180Deg. Glass to Glass



4700 Series Glass Clamps


Z-4701

- Designed for 5/16" (8mm) to 1/2" (12mm) Thick Glass
- Forged Solid Brass Construction
- Size: 2" (51mm) Wide x 2" (51mm) High
- Wall Mount 1 Hole



Z-4704 Transom Clips


- Designed for 5/16" (8mm) to 1/2" (12mm) Thick Glass
- Forged Solid Brass Construction
- Size: 2" (51mm) Wide x 2" (51mm) High
- Wall Mount Movable Transom Application





5100 Series  
Shower Door Knobs


Z-5106 Back to Back



Z-5109 Back to Back




Z-5110 Back to Back




Z-5119 Back to Back




Z-5120 Sliding Door Knob




Z-5122 Sliding Door Knob



Z-5132 Back to Back (Square)



Z-5134 Back to Back




Z-5160 Sliding Door Knob

Material:stainless steel  
for 10-12mm glass  
drill hole in glass Φ 58mm



Z-5161 Sliding Door Knob

Material:stainless steel  
for 10-12mm glass  
drill hole in glass Φ 58mm




\* All Finishes Available

5300 Series  
Back to Back Pull Handles

Z-5303 Back to Back without Washers

- 3/4" (19mm) Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




\* All Finishes Available



5300 Series  
Back to Back Pull Handles


Z-5304 Back to Back with Washers

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available



Z-5306 Back to Back with Washers

- 3/4" (19mm) Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




\* All Finishes Available

5300 Series  
Back to Back Pull Handles


Z-5307 Back to Back without Washers

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




Z-5310 Back to Back with Washers

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available



Z-5311 Back to Back without Washers

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




\* All Finishes Available



5300 Series  
Back to Back Pull Handles


Z-5313 Back to Back

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




Z-5316 Traditional Style

- Solid Brass
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" and 8" Back to Back



Z-5317 Back to Back

- 15x15 Solid Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available




\* All Finishes Available

5300 Series  
Single Mount Towel Bars


Z-5320

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- With Metal Washers
- 6" - 30" Center to Center Spacing all Available




Z-5322

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- One Side with Knob
- 6" - 30" Center to Center Spacing all Available




Z-5321

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- 6" - 30" Center to Center Spacing all Available
- Without Metal Washers



Z-5329

- 3/4" (19mm) Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- With Metal Washers
- 6" - 30" Center to Center Spacing all Available






5300 Series  
Towel Bars and Handle Combo

Z-5341

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- Available in 12" - 30" Center to Center Length  
Towel Bar With 6" or 8" Handle
- Without Metal Washers




\* All Finishes Available

5300 Series  
Towel Bars and Handle Combo


Z-5342

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- Available in 12" - 30" Center to Center Length  
Towel Bar With 6" or 8" Handle
- With Metal Washers




Z-5346

- 3/4" (19mm) Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- Available in 12" - 30" Center to Center Length  
Towel Bar With 6" or 8" Handle
- With Metal Washers



Z-5347

- 3/4" (19mm) Diameter Brass Tubing
- Designed for 1/4" (6mm) to 1/2" (12mm) Glass
- Available in 12" - 30" Center to Center Length  
Towel Bar With 6" or 8" Handle
- With Metal Washers




\* All Finishes Available

5500 Series  
Shower Support Bar Accessories


Z-5501

● Bar to Wall Bracket




Z-5502

● Bar to Glass Bracket




Z-5503

● Bar to Glass Bracket for Connect Two Bars at 135Deg.




Z-5504

● Bar to Glass Bracket for Connect Two Bars at 90Deg.




Z-5505

● Bar to Glass Bracket for Connect Three Bars at 90Deg.




Z-5511

● Bar to Wall Bracket




Z-5511-01

● Bar to Wall Bracket



Z-5516

● Bar to Glass Bracket for Two Connect three Bars at 90 Deg.



\* All Finishes Available

58000 Series  
Square Support Bar And Accessory Fittings


Z-5800-15

● 15\*15\*1.5mm Square Bar




- 1.3/5" (15mm) Square Tubing, Solid Brass Fittings
- 2.For 1/4" to 2/5" (6 to 10 mm)Glass
- 3.No Hole Drilling Required


Z-58020-1000 Typical Glass-to-Glass Installation




Z-58021-500 Glass-to-Wall Bar




Z-58023-500 Glass-to-Wall Bar



Z-58024-1000 Glass-to-Wall Bar



Z-58025-1000 Glass-to-Glass Bar






5600-15 Series(Solid Stainless steel Fittings)  
Square Support Bar And Accessories

- 1.For1/4" to 2/5" (6 to 10 mm)Glass
- 2.No Hole Drilling Required

FINISHES:  
Polished Stainlesssteel(PSS)  
Satin Stainless Steel( SSS)


Z-5601-15

- Wall Mount Bracket for Square Bar




Z-5606-15

- 45Deg Bracket for Square Bar




Z-5607-15

- Adjustable Wall Mount Bracket for Square Bar




Z-5612-15

- Swiveling U-Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5613-15

- Swiveling U-Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5614-15

- Movable Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5616-15

- "T" Junction Bracket for Square Bar




Z-5620-15

- Adjustable Corner Bracket for Square Bar



Z-5621-15




Z-5800-15 Series(Solid Brass Fittings)  
Square Support Bar And Accessories

- 1.For1/4" to 2/5" (6 to 10 mm)Glass
- 2.No Hole Drilling Required


Z-5801-15

- Wall Mount Bracket for Square Bar




Z-5806-15

- 45Deg Bracket for Square Bar




Z-5807-15

- Adjustable Wall Mount Bracket for Square Bar




Z-5812-15

- Swiveling U-Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5813-15

- Swiveling U-Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5814-15

- Movable Bracket for 1/4" to 2/5" (6 to 10 mm) Glass - Square Bar




Z-5816-15

- "T" Junction Bracket for Square Bar




Z-5820-15

- Adjustable Corner Bracket for Square Bar




Z-5821-15



5400 Series  
Shower Support Bars


Z-5401

- Wall to Glass Adjustable Bar
- 3/4" (19mm) Diameter Tubular Brass Bar, Solid Brass End Caps
- Z-5401A 240-400mm
- Z-5401B 550-700mm




Z-5403

- Wall to Glass Adjustable Bar
- 3/4" (19mm) Diameter Tubular Brass Bar, Solid Brass End Caps
- Z-5403A 820-1000mm
- Z-5403B 970-1150mm



Z-5410

- Glass to Glass Adjustable Bar
- 3/4" (19mm) Diameter Tubular Brass Bar, Solid Brass End Caps
- Z-5410A 750-1050mm
- Z-5410B 1000-1350mm




\* All Finishes Available

Shower Interior Shelf Clamps Series


Z-SC10

Size: 1-1/8" (29mm)  
Wide x 1" (25mm) Deep  
Designed for 5/16" (8mm) to 3/8" (10mm)





Z-SC12

Size: 1-15/16" (49mm)  
Wide x 1" (25mm) Deep  
Designed for 5/16" (8mm) to 3/8" (10mm)




Z-DL631 Adjustable Shelf Brackets

Adjustable Shelf Brackets are designed to work with 1/8" (3 mm) to 15/16" (24 mm) glass or wood shelves. The Brackets are secured with one screw (included) to the substrate. An adjustment screw is also included to accommodate various glass thicknesses.



Z-SC11

Size: 3-15/16" (100mm)  
Wide x 1" (25mm) Deep  
Designed for 5/16" (8mm) to 3/8" (10mm)




\* All Finishes Available



Mini Clips Series

Z-MC2R


Size:51mm Wide× 15.9mm Deep  
Designed for 3/8" (10mm) or 1/2" (12mm)



CAT.NO	W1	W2
Z-MC2R-10	10.5	16.5
Z-MC2R-12	13	19

Z-MIC2R


Size:51mm Wide× 15.9mm Deep  
Designed for 3/8" (10mm) or 1/2" (12mm)



CAT.NO	W1	W2
Z-MIC2R-10	10.5	16.5
Z-MIC2R-12	13	19

Z-MC1R


Size:51mm Wide× 15.9mm Deep  
Designed for 3/8" (10mm) or 1/2" (12mm)



CAT.NO	W1	W2
Z-MC1R-10	10.5	16.5
Z-MC1R-12	13	19

Z-MKW2R

Size:51mm Wide× 15.9mm Deep  
Designed for 3/8" (10mm) or 1/2" (12mm)




CAT.NO	W1	W2
Z-MKW2R-10	10.5	16.5
Z-MKW2R-12	13	19

Corner Glass Clamps Series


Z-CGC90 Glass to Glass 90Deg.

Size:2-1/16" (52mm)  
Wide× 1" (25mm)  
Designed for 5/16" (8mm) to 1/2" (10mm)




Z-CGC135 Glass to Glass 135Deg.

Size:2-1/16" (52mm)  
Wide× 1" (25mm)  
Designed for 5/16" (8mm) to 1/2" (10mm)



Z-CGW01L/Z-CGW01R Glass to Wall

Size:2-1/16" (52mm)  
Wide× 1" (25mm)  
Designed for 5/16" (8mm) to 1/2" (10mm)




Z-CGW01R

Z-CGW01L



Z-CGC-AD002 Adjustable 90 to 180 Deg Clamp

Size:2-1/8" (54mm)  
Wide× 1" (25mm)  
Designed for 5/16" (8mm) to 1/2" (10mm)




\* All Finishes Available

Shower Header kits Accessories Series

Z-BWB2

- Brass Wall Mounting Brackets




Z-BHC373

- Brass Adjustable Header Corner Clamp



Z-BHC90

- 90 Deg Brass Header Corner (With Screws)




Z-BHC135

- 135 Deg Brass Header Corner (With Screws)




Z-HAB01

- Adapter Block for Z-3831 Z-3821 Z-3841 Pivot Hing (Screw Provided)



Z-HAB02

- Adapter Block for Z-3838-01 Super Heavy Duty Pivot Hing (Screw Provided)




\* All Finishes Available



Shower Door Header Kits Series


Z-SDH001

- Designed for 5/16" (8mm) and 3/8" (10mm) Glass
- Each Header Kits Contains: 66" or 98" Piece Header Extrusion  
Snap-In Filler  
PVC Seal Provided




Z-SDUC38

- Dry Glaze U-Channel with Vinyls for 3/8" (10mm) Glass
- Clear Vinyls Secure Glass in Channel and Eciminate need for messy Silicone
- Recess in Bottom Channel Hides canlk tine
- Channel and Matching and Caps available In Four Popular Finishes



Z-U6 Z-U8 Z-U10 Z-U12

- Designed for 6,8,10and12mm Glass
- 66" or 98" Available



NO.	W	H	T
Z-U6	9.5	8	6.35
Z-U8	13.2	19	8.2
Z-U10	14.2	19	10.2
Z-U12	17.2	19	13.2



Index



1.7200 Series Zero Position Adjustable Hinges.....002-004

2.7400 Series Flat Design Zero Position Adjustable Hinges.....005-006

3.7500 Series Zero Position Adjustable Hinges.....007-008

4.7600 Series Flat Design Heavy Duty Zero Position Adjustable Hinges.....009-010

5.7800 Series Flat Design Zero Position Adjustable Hinges.....011-012

6.7900 Series Flat Design Heavy Duty Zero Position Adjustable Hinges.....013-014

7.3000 Series Shower Hinges.....015-016

8.3100 Series Shower Hinges.....017

9.9000 Series Heavy Duty Shower Hinges.....018-019

10.9100 Series Heavy Duty Shower Hinges.....020

11.9400 Series Adjustable Shower Hinges.....021

12.9500 Series Adjustable Shower Hinges.....022

13.9600 Series Heavy Duty Adjustable Shower Hinges.....023-024

14.9700 Series Adjustable Heavy Duty Shower Hinges.....025



15.8000 Series Junior Shower Hinges.....026

16.8100 Series Junior Shower Hinges.....027



17.3800 Series Pivot Hinges.....028

18.380000 Series Heavy Duty Pivot Hinges.....029

19.380028 Series Heavy Duty Pivot Hinges.....030

20.3800 Series Super Heavy Duty Pivot Hinges.....031

21.3800 Series Pivot Adjustable Hinges.....032

22.38000000 Series Heavy Duty Adjustable Pivot Hinges.....033

23.38000000 Series Heavy Duty Pivot Adjustable Hinges.....033-034

24.Notchles Pivot Hinges .....035



25.8200 Series Adjustable Shower Hinges.....036

26.8300 Series Adjustable European Style Shower Hinges.....037

27.8400 Series Adjustable European Style Shower Hinges.....038

28.8500 Series Adjustable Shower Hinges.....039

29.8600 Series Adjustable Shower Hinges.....040

30.8700 Series Adjustable Shower Hinges.....041

31.8900 Series Shower Hinges.....042

32.3900 Series Shower Hinges.....043

33.3900 Series Raise Up-Down Adjustable Shower Hinges.....043

34.3900 Series Raise Up-Down Shower Hinges.....044

35.Class Clamps.....044



36.3000.00 Series Glass Clamps.....045


37.4400 Series Glass Clamps.....046

38.4600 Series Glass Clamps.....047

39.4700 Series Glass Clamps.....048



40.5100 Series Shower Door Knobs.....049



41.5300 Series Back to Back Pull Handles.....050-053



42.5300 Series Single Mount Towel Bars.....054

43.5300 Series Towel Bars and Handle Combo.....055-056



44.5500 Series Shower Supports Bar Accessories.....057

45.58000 Series Square Support Bar And Accessories Fittings.....058

46.5600-15 Series Square Support Bar And Accessories.....059

47.Z-5800-15 Series Square Support Bar And Accessories.....060

48.5400 Series Shower Supports Bar.....061


49.Shower Interior Shelf Clamps Series.....062

Index




50.Mini Clips Series.....063

51.Corner Glass Clamps Series .....064



52.Shower header kits Accessories Series .....065



53.Shower Door Header Kits Series .....066